

Rīga

28.07.2021

Our Ref: 1.13p/LV-2021-256

Electronic Procurement System

***Answer to question from the interested supplier
in the competitive procedure with negotiations
“Consolidated supply of turnouts and rail expansion joints for Rail Baltica railway construction”,
identification number RBR 2021/2***

RB Rail AS presents following answer to the questions received from the interested suppliers until 28 July 2021:

Nr.	Questions	Answers
1.	<p>Following the publication of the Procurement Notice RBR 2021/2 concerning the Supplier Qualification for the Consolidated Supply of Turnouts and Expansion joints for RailBaltica railway, and taking into consideration the announced date for presenting the candidatures (12 August 2021) we kindly ask you to accept postponing the Opening date at least until 31st September in order to have enough time to conveniently read through the documents and prepare our candidature.</p> <p>The reason for asking such extension is based on the fact, that during the months of July & August some of our staff and customer representatives involved in the preparation of the documents are not in the office (leave on vacations due) and that is causing some limitation to cope with the schedule. Besides considering the tender conditions to cope with combined turnover for the 3 lots, we might have to reach some agreements with other suppliers. Such agreements require time to be materialized and partnership agreements must be negotiated. Once again most of the persons in charge of these</p>	<p>Procurement Commission kindly explains that Procurement Commission is considering the ability to extend the submission date (not yet decided), however, the answer informing about the Procurement Commission's decision will be provided not later than till 3 August 2021.</p>

	negotiations (Directors, board members) have limited availability these months.	
--	---	--

Procurement Commission Member

B.Zauere

THIS DOCUMENT IS SIGNED ELECTRONICALLY WITH A SAFE ELECTRONIC SIGNATURE AND CONTAINS A TIME STAMP